



## Husqvarna FS 400 LV

Our robust FS 400 LV is a convenient all-round petrol push floor saw. The adjustable handle ensures an ergonomic working position. Perfect weight distribution gives excellent stability while sawing. Ideal for small road repair jobs in concrete or asphalt, up to 189 mm cutting depth.

### Engine

Output power (As rated by the engine/motor manufacturer)	8.7 kW
Output power at tool shaft	8.6 kW
Engine cooling	Air
Fuel tank volume	6.1 l
Cylinders	1
Number of strokes	4-stroke engine
Exhaust emissions (CO2 EU V)	743 g/kWh

### Cutting equipment

Arbor diameter	25.4 mm
Blade diameter, max	450 mm
Cutting depth, max	162 mm

### Dimensions

Product size length	1150 mm
Product size width	615 mm
Product size height	940 mm
Weight	99 kg

### Articles for FS 400 LV

FLOOR SAW FS 400 LV 11.7 hp   450mm   CE   Honda	965 14 82-01
FLOOR SAW FS 400 LV 11.7 hp   450mm   Honda   BR	965 14 82-17
FLOOR SAW FS 400 LV 11.7 hp   450mm   CE   Kohler	965 14 82-21

## Features for FS 400 LV

### Easy to operate

Productive and robust with excellent weight distribution and stability.



### Adjustable handles

Provides a closer and more comfortable position to the cutting side for easier alignment and straighter cuts. Handle can also be folded for transport.



### Easy to transport

Compact saw that is easy to lift.



### Large integrated water tank

Quick connection for water hose to the blade guard. No tools required for dis-assembly.



## Recommended tools for FS 400 LV



VARI-CUT S45



VARI-CUT S65

Abrasive	● ○ ○	● ● ●
Asphalt		● ● ○
Cured concrete hard	● ● ○	● ○ ○
Cured concrete medium	● ● ●	● ● ●
Cured concrete soft	● ● ○	● ● ●
Granite	● ● ○	

Green concrete		● ● ○
Highly reinforced concrete	● ● ●	● ○ ○
Natural stone	● ○ ○	
Reinforced concrete	● ● ●	● ● ●