



Husqvarna K 970

Sturdy, reliable, light and powerful - the K 970 power cutter is ready to perform when you are. The ultimate choice when you need an all-round cutter performing in the toughest conditions, withstanding climate and fuel variations. Suitable for road works when used with the corresponding KV 970 trolley. The trolley also means you can fully concentrate on the cutting job.

Engine

Output power	4.8 kW
Cylinder displacement	93.6 cm ³
Electrode gap	0.5 mm
Cylinders	1
Number of strokes	2-stroke engine
Exhaust emissions (CO2 EU V)	736 g/kWh

Sound and noise

Sound power level, guaranteed (LWA)	115 dB(A)
Sound pressure level at operators ear	104 dB(A)

Cutting equipment

Cutting depth, max	155 mm
Blade diameter, max	400 mm
Arbor diameter	25.4/20 mm
Blade thickness, max	5 mm
Peripheral speed, max	90 m/s

Dimensions

Product size length	688 mm
Product size width	214 mm
Product size height	481 mm
Weight	11.6 kg

Vibrations

Vibrations left/front handle	3.5 m/s ²
Vibrations right/rear handle	4 m/s ²

Articles for K 970

POWER CUTTER K 970 14" | 20mm/1"

967 34 80-01

POWER CUTTER K 970 16" | 20mm/1"

967 34 81-01

Features for K 970

Easy and optimal belt tensioning

The semi-automatic SmartTension minimises the risk of under- and over tensioning.



Sturdy and reliable

Less sensitive to outer conditions and fuel variations, thanks to the cylinder design and muffler with integrated heat deflector.



Easy to start

The unique design of the carburettor, cylinder and digital ignition system, together with air purge and decompression valve ensure an easy start.



Long service intervals

A strong Poly-V belt combined with our maintenance-free starter DuraStarter™ and efficient filter-system Active Air Filtration™ ensures long service intervals.



Accessories for K 970



Transport box



Wheel kit



WT2GO



WT 15i



KV 9 / 12




Two stroke oil, HP

Check website for more accessories.

Recommended tools for K 970



**ELITE-CUT S35
EXO-GRIT™**



**ELITE-CUT S45
EXO-GRIT™**



**ELITE-CUT S65
EXO-GRIT™**



ELITE-CUT S85



VARI-CUT S35

Abrasive		● ○ ○	● ● ●	● ○ ○	
Asphalt			● ○ ○	● ● ●	
Block	● ● ○		● ● ●		● ● ○
Brick	● ● ○	● ● ○	● ● ●		● ● ○
Concrete		● ● ●	● ● ●		
Concrete hard		● ● ●			
Concrete medium		● ● ●	● ● ○		
Concrete soft		● ● ○			
Cured concrete hard	● ● ●				● ● ●
Cured concrete medium	● ● ○	● ● ●	● ● ○		● ● ○
Cured concrete soft	● ○ ○			● ○ ○	● ○ ○
Granite	● ● ●				● ● ●
Green concrete				● ● ○	
Green concrete (abrasive) hard		● ○ ○	● ● ○		
Green concrete (abrasive) soft			● ● ○		
Highly reinforced concrete	● ● ●		● ● ○		● ● ●
Marble	● ● ●				● ● ●
Natural stone	● ● ●				● ● ●
Reinforced concrete	● ● ○	● ● ●	● ● ●		● ● ○
Roof tile	● ● ○	● ● ○	● ● ●		● ● ○



VARI-CUT S50



VARI-CUT S65



VARI-CUT S85



VARI-DISC STEEL




VARI-DISC STONE

Abrasive	● ● ○	● ● ●	● ○ ○		
Asphalt	● ○ ○	● ● ○	● ● ●		
Block	● ● ●	● ● ●			
Brick	● ● ●	● ● ●			
Concrete					● ● ●


Cured concrete hard	● ● ○	● ○ ○			
Cured concrete medium	● ● ●	● ● ●			
Cured concrete soft	● ● ●	● ● ●	● ○ ○		
Ductile iron				● ● ○	
Granite	● ○ ○				● ● ●
Green concrete		● ● ○	● ● ○		
Highly reinforced concrete	● ● ○	● ○ ○			
Iron				● ● ○	
Natural stone					● ● ●
Reinforced concrete	● ● ●	● ● ●			
Roof tile	● ● ●	● ● ●			



TACTI-CUT S35



TACTI-CUT S50



TACTI-CUT S50
PLUS



TACTI-CUT S65



TACTI-CUT S85

Abrasive		● ● ○	● ● ○	● ● ●	● ○ ○
Asphalt		● ○ ○	● ○ ○	● ● ○	● ● ●
Block	● ● ○	● ● ●	● ● ●	● ● ●	
Brick	● ● ○	● ● ●	● ● ●	● ● ●	
Cured concrete hard	● ● ●	● ● ○	● ● ○	● ○ ○	
Cured concrete medium	● ● ○	● ● ●	● ● ●	● ● ●	
Cured concrete soft	● ○ ○	● ● ●	● ● ●	● ● ●	● ○ ○
Granite	● ● ●	● ○ ○	● ○ ○		
Green concrete				● ● ○	● ● ○
Highly reinforced concrete	● ● ●	● ● ○	● ● ○	● ○ ○	
Marble	● ● ●				
Natural stone	● ● ●				
Reinforced concrete	● ● ○	● ● ●	● ● ●	● ● ●	
Roof tile	● ● ○	● ● ●	● ● ●	● ● ●	