




Husqvarna HTC 270 EG

HTC 270 EG is a professional edge grinding machine allowing you to grind and polish edges quickly, efficiently and in an ergonomic manner. Instead of working in an uncomfortable position, grinding edges with handheld equipment, this machine makes it possible to tackle edges just as any other part of the floor, standing upright and progressing fast. Every step of the grinding and polishing process can be followed by mounting the same tools under the HTC 270 edge grinder as under the main floor grinder. The high head pressure and ingenious design (which allows for both left and right edge grinding) has earned praise from floor grinding specialists around the world. Additionally the low grinding head height of only 100 mm, enables grinding under shelves or other low-hanging obstacles. The floating cover follows the floor at all times and transportation is easy thanks to the detachable chassis.

FEATURES

Technical Specifications	
MOTOR	
Output power (As rated by the engine/motor manufacturer)	2.2 kW
Rated input power	2.2 kW
Rated current	13 A
Voltage	220–240 V
Phases	1 ph
Pins	1P+N+E
Frequency	50–60 Hz
OTHER	
Grinding width	270 mm
Grinding disc diameter	270 mm
Direction of rotation	Both directions
Number of grinding discs	1
DIMENSIONS	
Product size length	1030 mm
Product size width	490 mm
Product size height	830 mm
Weight	103 kg
PACKAGING	
Packaging length	1100 mm
Packaging width	600 mm
Packaging height	1000 mm
Packaging volume	825 dm ³

ACCESSORIES



HUSQVARNA PAD HOLDER
593 31 47-04



HUSQVARNA TOOL HOLDER MULTIHUSQVARNA RESIN HOLDER
529 61 70-03

593 31 47-05

HUSQVARNA TOOL HOLDER
ELASTIC/FLEXIBLE
598 96 69-01



FRICITION TESTER BOT 3000E
531 18 50-01




GLOSS METER MG6-SS
593 31 32-01




HARDNESS TEST MOH'S TEST KIT
593 31 69-01



GLOSS & DOI METER RHOPOINT
IQ
593 31 15-01



ROUGHNESS TESTER MARSURF
PS10
593 3174-01



ICRI PROFILE PLASTIC CHIPSET
546 2169-02



PENETRATION TEST KARSTEN
PIPE TEST KIT
598 8580-02



ICRI PROFILE CONCRETE SET
546 2169-01