



Husqvarna HTC T5 (2.2 kW)

HTC T5 is the smallest machine in the range of grinders with Duratig technology. This is an ultra-compact and powerful planetary grinder with three grinding discs suitable for all types of grinding jobs and is available with either a 2.2 or 4 kW motor version. Just as the large models with Duratig Technology, the machine is equipped with an intuitive digital control panel that provides all the control and precision you need to maximise machine performance. The dustproof design of the grinding head and electrical cabinet, along with the precision of the heavy duty components, provides high reliability and increased grinding precision. The chassis can be easily separated from the grinding head and weights dismantled prior to transport.




FEATURES

Technical Specifications	
MOTOR	
Output power (As rated by the engine/motor manufacturer)	2.2 kW
Rated input power	2.2 kW
Rated current	10 A
Voltage	220–240 V
Phases	1 ph
Pins	1P+N+E
Frequency	50–60 Hz
OTHER	
Grinding width	515 mm
Grinding disc diameter	230 mm
Direction of rotation	Both directions
Number of grinding discs	3
DIMENSIONS	
Product size length	1000 mm
Product size width	569 mm
Product size height	720 mm
Weight	122 kg
PACKAGING	
Packaging length	1100 mm
Packaging width	600 mm
Packaging height	1000 mm

ACCESSORIES




HUSQVARNA TOOL HOLDER
AIRFLOW
593 31 93-02



HUSQVARNA TOOL HOLDER
ELASTIC/FLEXIBLE
593 31 92-02



HUSQVARNA PAD HOLDER
593 31 47-03



ROUGHNESS TESTER MARSURF
PS10
593 31 74-01



GLOSS & DOI METER RHOPPOINT
IQ
593 31 15-01



ICRI PROFILE CONCRETE SET
546 21 69-01



GLOSS METER MG6-SS
593 31 32-01



PENETRATION TEST KARSTEN
PIPE TEST KIT
598 85 80-02



ICRI PROFILE PLASTIC CHIPSET
546 21 69-02



FRICTION TESTER BOT 3000E
531 18 50-01



HARDNESS TEST MOH'S TEST KIT
593 31 69-01