



Husqvarna HTC 950 RX

HTC 950 RX is a remote-controlled grinder for large surfaces. It is a planetary grinder with four grinding discs and has several functions that increase capacity and enhance operator ergonomics. The integrated Mist Cooler System™ prevents metal tools from overheating during grinding and significantly increases the machine's grinding capacity. The machine is equipped with a flexible, floating hood that prevents the spread of dust and enables grinding closer to corners and edges. HTC 950 RX also has an integrated weight system for multi-position adjustment of grinding pressure, as well as battery power for movement during loading and unloading.

FEATURES

Technical Specifications	
MOTOR	
Output power (As rated by the engine/motor manufacturer)	15 kW
Rated input power	15 kW
Rated current	32 A
Voltage	380–415 V
Phases	3 ph
Pins	3P+N+E
Frequency	50–60 Hz
OTHER	
Grinding width	920 mm
Grinding disc diameter	270 mm
Direction of rotation	Both directions
Number of grinding discs	4
DIMENSIONS	
Product size length	1347 mm
Product size width	985 mm
Product size height	1287 mm
Weight	600 kg
PACKAGING	
Packaging length	1350 mm
Packaging width	1150 mm
Packaging height	1480 mm
Packaging volume	2297.7 dm ³

ACCESSORIES



HUSQVARNA TOOL HOLDER
AIRFLOW
593 31 93-01



HUSQVARNA TOOL HOLDER
ELASTIC/FLEXIBLE
593 31 94-01

HUSQVARNA PAD HOLDER
593 31 47-01

HUSQVARNA TOOL HOLDER
ELASTIC/FLEXIBLE
593 31 92-03



HUSQVARNA RESIN HOLDER
593 31 48-03



FRICTION TESTER BOT 3000E
531 18 50-01




GLOSS METER MG6-SS
593 31 32-01




HARDNESS TEST MOH'S TEST KIT
593 31 69-01



GLOSS & DOI METER RHOPPOINT
IQ
593 31 15-01



ROUGHNESS TESTER MARSURF
PS10
593 31 74-01



ICRI PROFILE PLASTIC CHIPSET
546 21 69-02



PENETRATION TEST KARSTEN
PIPE TEST KIT
598 85 80-02



ICRI PROFILE CONCRETE SET
546 21 69-01