

Husqvarna BS 75

BS 75 is a powerful self-propelled machine, ideal for indoor and outdoor medium-sized renovation jobs. This floor scraper is constructed of rugged metal for longevity and durability on the site. This machine has a forward and backward function and is equipped as standard with speed control. With mainly electronic components, this floor stripper requires almost no maintenance. In addition, this floor scraper can be disassembled into 3 pieces for easy transportation up flights of stairs and into vehicles. It is also possible to add an additional 10 kg weight to mount on the weight block in order to make BS 75 more efficient on resilient floors. Depending on the type of flooring material you would like to remove, you can choose from a wide range of blades or chisels. This floor scraper is able to remove most (old) floor coverings such as linoleum, vinyl, carpet, adhesives, glue, etc.

Adjustable steering frame

The upper part of the frame is adjustable for an ergonomic operating height.

Work close to walls

By sliding the left handle, the width of the machine reduces by almost 100 mm in order to be able to work closely to walls.

Easy to transport

This machine can be easily taken apart into 3 pieces by unscrewing 2 handles for easy transportation.

Special blade cover

Blade cover with countersunk holes to avoid debris getting stuck on them.

FEATURES

- Easy to transport
- Work close to walls

- Adjustable steering frame
- Special blade cover

ACCESSORIES



WEIGHT KIT 533 11 48-01



SELF-SCORING BLADES 538 87 51-01



TOOL BOX 534 90 20-01



SELF-SCORING BLADES 538 87 52-01



QUICK RELEASE PIN 533 65 37-01



SELF-SCORING BLADES 534 82 51-01



FLAT BLADES 535 19 23-01




SELF-SCORING BLADES 534 82 63-01






PREMIUM BLADES

535 22 78-01





PREMIUM BLADES 535 22 77-01



SUPER DUTY BLADES 534 87 64-01



ICRI PROFILE PLASTIC CHIPSET 546 21 69-02

PREMIUM BLADES 535 22 79-01



ICRI PROFILE CONCRETE SET 546 21 69-01

SUPER DUTY BLADES 535 24 98-01